



VIOR

Pure Light Experience



New 2018

RIBAG



cultivated



Wenn Licht Räume kultiviert

Licht ist ein elementarer Bestandteil zur Materialisierung von räumlichen Qualitäten sowie zur Steigerung des Wohlbefindens. Bei RIBAG setzen wir uns dafür ein, mit innovativster Technologie, optimale Lichtlösungen für Wohn- und Arbeitsbereiche zu gestalten. Dabei steht der Mensch mit seinen Bedürfnissen im Mittelpunkt. Zeitloses Design, das die Innenarchitektur unterstützt, ist uns ebenso wichtig wie die Entwicklung langlebiger und energieeffizienter Lichtlösungen mit einfachster Handhabung. Nach intensiver Forschung und Entwicklung präsentieren wir Ihnen VIOR – für besondere Raumerlebnisse.

When light cultivates spaces

Light plays an essential role in the materialisation of spatial qualities and in improving well-being. At RIBAG, we are committed to using the most innovative technologies to offer optimal lighting solutions for living and working areas. The human being and its needs are the focus of attention. Timeless design that supports interior decoration, is for us just as important as the development of long-lasting, energy efficient lighting solutions with easy operation. After intensive research and development, we present you VIOR – for unique spatial experiences.

A handwritten signature in black ink, reading 'A. Richner'. The signature is fluid and stylized, with a large 'A' and a long, sweeping underline.

Andreas Richner
CEO



VIOR

RIBAG Designstudio

Raumwirkung pur

VIOR ist eine universelle Lichtlösung. Sie kombiniert mit nur einer Punktlichtquelle tiefstrahlendes, brillantes Direktlicht, mit sanftem, deckenaufhellendem Indirektlicht. Die kompakte, sinnliche Form fügt sich zeitlos in jede Innenarchitektur ein. Die transparente Materialisierung ist von Leichtigkeit geprägt, unterstützt die Architektur und setzt präzise, zurückhaltende Akzente.

Ob als Grund- oder als Stimmungslicht, im Privat- oder im Objektbereich – VIOR ermöglicht einen neuen Umgang mit dem Medium Licht und macht Räume zum Erlebnis.

Pure ambiance

VIOR is a universal lighting solution. With only a point light source, it combines brilliant, narrow-beam direct light with soft, ceiling-illuminating indirect light. The compact, sensual form can be integrated into any interior design. The transparent materialisation is characterised by lightness, supports the architecture, and emphasizes specific, conservative features.

As ambient or as mood lighting, privately or in the object area – VIOR allows new interaction with light as a medium and provides spaces for experience.

ribag.com/vior

Licht ist Leben

Die Zeit, die der Mensch innerhalb von Gebäuden und Räumen verbringt, rückt die essentielle Wichtigkeit der richtigen Lichtlösung in den Vordergrund. Diese entscheidet massgebend über die Lebensqualität und das damit verbundene Wohlbefinden.

VIORs brillantes Direktlicht setzt klare Akzente. Oberflächen erscheinen besonders farbintensiv und glanzvoll.

Die Öffnung des Raumes durch die indirekte Deckenbeleuchtung schafft eine besonders wohltuende und einzigartige Atmosphäre.

Light is life

The time people spend inside buildings and spaces brings the critical importance of the right lighting solutions to the forefront. It decisively affects one's quality of life and, therefore, well-being.

VIOR's brilliant direct light sets clear accents. Surfaces seem particularly colourful and brilliant. Indirect ceiling lighting opens the room, creating a particularly pleasant and unique atmosphere.





- I. Champignoncremesuppe 4,30€
II. Penne mit Kalbchen, Zucchini und Tomaten-Sahnesauce 5,90€
III. Rindersteak mit Zwiebeln, Erdäpfeln und Salat 9,90€
IV. Flammkuchen mit Gorgonzola, Oliven und frischen Tomaten 7,50€
Das Maximum-Team wünscht
Ihnen einen guten Appetit!





Spitzentechnologie für perfekte Lichtwirkung

Der Mikrofacetten-Reflektor wurde in enger Zusammenarbeit mit dem Bartenbach Lichtlabor entwickelt. Seine komplexe Oberflächengeometrie verteilt den indirekten Lichtanteil (10%) schattenfrei, perfekt homogen und flach über die Decke. Der Direktlichtanteil wird blendfrei durch berechnete Linsen gelenkt – in wählbaren Ausstrahlungswinkeln von 40°, 50° oder 60°.


Cutting-edge technology for the perfect lighting effect

The microfacet reflector was developed in close cooperation with the Bartenbach Lichtlabor. Its complex surface geometry distributes the indirect percentage of light (10%) shadow-free, perfectly homogeneous and even across the ceiling. The percentage of direct light is guided through calculated lenses, glare-free – in selectable beam angles of 40°, 50° or 60°.

CRI
95

UGR
<16

patent pending



≤40°



≤50°



≤60°

VIOR

Mounted lamps

VIOR AC (mains voltage)



- Mounting: For mounting on the ceiling and connection to 230 VAC/50 Hz mains voltage, dimmable with phase-cut dimmer*
- Lamp housing: Diecast aluminium, synthetic glass PMMA
- Optics: High-quality lens/microreflector lighting technology, patent pending, UGR <16
- Lamps: LED CRI 90, 2700 K or 3000 K (4000 K on request), integrated
- Service life: 50'00 h L80 B10 (Ta 25 °C)
- Lamp protection class: I
- Protection level: IP 50
- Energy efficiency class: A to A++, includes built-in LED lamps, unexchangeable lamps





black RAL 9005

Article	Watt	Lumen	Kelvin	Δ°	EUR
4140.012.27.2 D	12	750	2700	40	249.00
4140.012.30.2 D	12	750	3000	40	249.00
4141.012.27.2 D	12	760	2700	50	249.00
4141.012.30.2 D	12	760	3000	50	249.00
4142.012.27.2 D	12	750	2700	60	249.00
4142.012.30.2 D	12	750	3000	60	249.00

white RAL 9003

Article	Watt	Lumen	Kelvin	Δ°	EUR
4140.012.27.3 D	12	750	2700	40	249.00
4140.012.30.3 D	12	750	3000	40	249.00
4141.012.27.3 D	12	760	2700	50	249.00
4141.012.30.3 D	12	760	3000	50	249.00
4142.012.27.3 D	12	750	2700	60	249.00
4142.012.30.3 D	12	750	3000	60	249.00

* List of compatible dimmers: www.ribag.com/dim



All the prices do not include VAT, are suggested retail prices.
The general terms and conditions apply: www.ribag.ch/ch_en/terms

Mounted lamps

VIOR DC (mounted elements)



- Mounting: Suitable for installing in cavity ceilings and concrete ceilings with Kaiser concrete moulded housing Halox-O No. 1290
- Lamp housing: Diecast aluminium, synthetic glass PMMA
- Optics: High-quality lens/microreflector lighting technology, patent pending, UGR <16
- Lamps: LED CRI 95, 2700 K or 3000 K (4000 K on request), integrated
- Service life: 50'00 h L80 B10 (Ta 25 °C)
- Control gear: EB 230 V/50 Hz, constant current 350 mA, order the control gear separately
- Lamp protection class: III
- Protection level: IP 50
- Energy efficiency class: A to A++, includes built-in LED lamps, unexchangeable lamps



black RAL 9005

Article	Watt	Lumen	Kelvin	Δ°	EUR
4143.012.27.2	15	1070	2700	40	249.00
4143.012.30.2	15	1070	3000	40	249.00
4144.012.27.2	15	1080	2700	50	249.00
4144.012.30.2	15	1080	3000	50	249.00
4145.012.27.2	15	1050	2700	60	249.00
4145.012.30.2	15	1050	3000	60	249.00

white RAL 9003

Article	Watt	Lumen	Kelvin	Δ°	EUR
4143.012.27.3	15	1070	2700	40	249.00
4143.012.30.3	15	1070	3000	40	249.00
4144.012.27.3	15	1080	2700	50	249.00
4144.012.30.3	15	1080	3000	50	249.00
4145.012.27.3	15	1050	2700	60	249.00
4145.012.30.3	15	1050	3000	60	249.00

Accessories for VIOR mounted lamps DC (with add-on elements)

Control gears for VIOR mounted elements

- Operating devices 230 V/50-60 Hz
- Constant current 350 mA
- Short circuit and overload protected

Article	Watt	Light control	Dimension	EUR
915.019.350	18	on/off	120×52×22	44.00
915.019.350 DIG	18	dimmable DALI	119×53×30	68.00

Adapter for cavity mounting

- suitable for mounting in hollow ceilings and in installation housing
- for ceiling cutouts Ø 68-75 mm
- for ceiling thickness 1-25 mm

Article	EUR
4140.901.9	25.00

RIBAG

Headquarter

RIBAG Licht AG
Kanalstrasse 18, 5745 Safenwil
Switzerland
Tel +41 62 737 90 10 (Sales)
Tel +41 62 737 50 70 (Project)
Tel +41 62 737 50 70 (Service)
info@ribag.com



ribag.com



@ribaglight



ribaglight