



MOON Q10

design: Lapo Grassellini




Supply current
 Alimentazione
 Courant d'alimentation
 Stromversorgung
 Corriente de alimentación
250 mA (V_f 37V)

Power
 Potenza
 Pouissance
 Bestuekung
 Potencia
10 W



Photometric diagrams




CCT/CRI/Flux

| CCT | CRI85 | CRI93 |
|-------|---------|--------|
| 2700K | 890 lm | 840 lm |
| 3000K | 1000 lm | 930 lm |
| 4000K | 1040 lm | 960 lm |

Code Construction

Costruzione del codice - Construction du code produit
 Bau der Produkt-Code - Construcción del código de producto

MQ1 X X X X



Optionals

Accessori - Accessoires
 Zubehör - Accesorios

Low luminance louver
 Filtro antiabbagliamento
 Filtre basse luminance
 Geringe Leuchtdichte-Filter
 Filtro de baja luminancia




LOH1
 White
 Bianco
 Blanc
 Weiß
 Blanco

LOH1B
 Black
 Nero
 Noir
 Schwarz
 Negro

Plasterboard recessing frame

Flangia per cartongesso
 Boîtier d'encastrement pour plaques de plâtre
 Gehäuses Trockenbau
 Cajetín para placas de yeso



MQC002


White
 Bianco
 Blanc
 Weiß
 Blanco

MQC002B

Black
 Nero
 Noir
 Schwarz
 Negro

Drivers

Alimentatori - Alimentateurs
 Netzteile - Alimentadores



SC1002

Milky screen

Schermo opale
 Écran opale
 Opal-Bildschirm
 Pantalla opal



Nota: lo schermo deve essere ordinato congiuntamente all'apparecchio

Note: the screen must be ordered together with the lighting fixture

Note: l'écran doit être commandé en même temps que l'appareil


Anmerkung: muss die Bildschirm zusammen mit Leuchtkörper bestellt werden

Nota: la pantalla debe pedirse junta con la luminaria



MOON QX120

design: Lapo Grassellini



Supply current


Alimentazione
 Courant d'alimentation
 Stromversorgung
 Corriente de alimentación
250 mA (V_f 2 x 37V)

Power

Potenza
 Pouissance
 Bestuekung
 Potencia
2 x 10 W



Photometric diagrams




CCT/CRI/Flux (x2)

| CCT | CRI85 | CRI93 |
|-------|---------|--------|
| 2700K | 890 lm | 840 lm |
| 3000K | 1000 lm | 930 lm |
| 4000K | 1040 lm | 960 lm |

Code Construction

Costruzione del codice - Construction du code produit
 Bau der Produkt-Code - Construcción del código de producto

MQX12 X X X X



Optionals

Accessori - Accessoires
 Zubehör - Accesorios

Low luminance louver
 Filtro antiabbagliamento
 Filtre basse luminance
 Geringe Leuchtdichte-Filter
 Filtro de baja luminancia




LOH1X2
 (2 pcs)
 White
 Bianco
 Blanc
 Weiß
 Blanco

LOH1X2B
 (2 pcs)
 Black
 Nero
 Noir
 Schwarz
 Negro

Plasterboard recessing frame

Flangia per cartongesso
 Boîtier d'encastrement pour plaques de plâtre
 Gehäuses Trockenbau
 Cajetín para placas de yeso



MQX12Q

White
 Bianco
 Blanc
 Weiß
 Blanco

MQX12QB

Black
 Nero
 Noir
 Schwarz
 Negro

Drivers

Alimentatori - Alimentateurs
 Netzteile - Alimentadores


Nota: considerare 2 alimentatori per ogni apparecchio

Note: each fixture needs 2 drivers

Note: chaque appareil nécessite 2 alimentateurs

Anmerkung: Jedes Gerät muss 2-Netzteile

Nota: cada luminaria necesita 2 alimentadores



SC2002

(2 pcs)

Milky screen

Schermo opale
 Ecran opale
 Opal-Bildschirm
 Pantalla opal



Nota: lo schermo deve essere ordinato congiuntamente all'apparecchio

Note: the screen must be ordered together with the lighting fixture


Note: l'écran doit être commandé en même temps que l'appareil

Anmerkung: muss die Bildschirm zusammen mit Leuchtkörper bestellt werden

Nota: la pantalla debe pedirse junta con la luminaria

MOON QX130

design: Lapo Grassellini



Supply current


Alimentazione
 Courant d'alimentation
 Stromversorgung
 Corriente de alimentación
250 mA (V_f 3 x 37V)

Power

Potenza
 Pouissance
 Bestuekung
 Potencia
3 x 10 W



Photometric diagrams




CCT/CRI/Flux (x3)

| CCT | CRI85 | CRI93 |
|-------|---------|--------|
| 2700K | 890 lm | 840 lm |
| 3000K | 1000 lm | 930 lm |
| 4000K | 1040 lm | 960 lm |

Code Construction

Costruzione del codice - Construction du code produit
 Bau der Produkt-Code - Construcción del código de producto

MQX13 X X X X



Optionals

Accessori - Accessoires
 Zubehör - Accesorios

Low luminance louver
 Filtro antiabbagliamento
 Filtre basse luminance
 Geringe Leuchtdichte-Filter
 Filtro de baja luminancia




LOH1X3
 (3 pcs)
 White
 Bianco
 Blanc
 Weiß
 Blanco

LOH1X3B
 (3 pcs)
 Black
 Nero
 Noir
 Schwarz
 Negro

Plasterboard recessing frame

Flangia per cartongesso
 Boîtier d'encastrement pour plaques de plâtre
 Gehäuses Trockenbau
 Cajetín para placas de yeso



MQX13Q

White
 Bianco
 Blanc
 Weiß
 Blanco

MQX13QB

Black
 Nero
 Noir
 Schwarz
 Negro

Drivers

Alimentatori - Alimentateurs
 Netzteile - Alimentadores


Nota: considerare 3 alimentatori per ogni apparecchio

Note: each fixture needs 3 drivers

Note: chaque appareil nécessite 3 alimentateurs

Anmerkung: Jedes Gerät muss 3-Netzteile

Nota: cada luminaria necesita 3 alimentadores



SC3002

(3 pcs)

Milky screen

Schermo opale
 Écran opale
 Opal-Bildschirm
 Pantalla opal



Nota: lo schermo deve essere ordinato congiuntamente all'apparecchio

Note: the screen must be ordered together with the lighting fixture

Note: l'écran doit être commandé en même temps que l'appareil

Anmerkung: muss die Bildschirm zusammen mit Leuchtkörper bestellt werden

Nota: la pantalla debe pedirse junta con la luminaria