

# KAIA

## NEA


Designed by Peter Straka  
Vienna 2007

Light in its purest and most simple form, the lighting object reduced to a simple fixture. A tube of light suspended or mounted on a wall at a single point.



## NEA

Wall / Ceiling  
50



### Type

Material

Environment

Dimensions

Weight

Certification

Bathroom

EU/UK

Lamps

Wall/ceiling light

Solid brass

Indoors

500 x 28 x 80 mm

0.3 kg

IP20 CE

Zone 3

230 V

max. 60 W, S14d,

our suggestion:

4.9 W, 1x linear opal LED,

2700 K, Mains (Phase)

dimmmable\*

EPREL ID 566201,522907

### Standard finishes:

039 01 101

039 01 201

039 01 202

039 01 209

039 01 402

polished nickel

brushed nickel

brushed brass


blackened brass

aged brass

\* On very rare occasions, these lamps may appear to have a slight buzzing or flickering. As is the case with all retro LED lamps, this is likely caused by a number of outside influences such as incorrect installation, wiring, dimming or transformers and in some instances low electrical resistance.

\*\* Please contact [sales@kaialighting.com](mailto:sales@kaialighting.com) for further information on dimmers etc. Please note KAIA Ltd cannot take any responsibility for the connection with your dimming or central control system. It is the customer's responsibility to ensure the compatibility with their systems.

**NEA**  
Wall / Ceiling  
30




Type  
Material  
Environment  
Dimensions  
Weight  
Certification  
Bathroom  
EU/UK  
Lamps

Wall/ceiling light  
Solid brass  
Indoors  
300 x 28 x 80 mm  
0.3 kg  
IP20 CE  
Zone 3  
230 V  
max. 60 W, S14d,  
our suggestion: 3,1 W,  
1x linear opal LED,  
2700 K, Mains (Phase)  
dimmable\*  
EPREL ID 566201, 522905

Standard finishes:

039 02 101	polished nickel
039 02 201	brushed nickel
039 02 202	brushed brass
039 02 209	blackened brass
039 02 402	aged brass

**NEA**  
Wall / Ceiling  
50  
Mirror




Type  
Material  
Environment  
Dimensions  
Weight  
Certification  
Bathroom  
EU/UK  
Lamps

Ceiling/wall light  
Solid brass  
Indoors  
500 x 47 x 80 mm  
0.6 kg  
IP20 CE  
Zone 3  
230 V  
max. 60 W, S14d,  
our suggestion: 4.9 W,  
1x linear opal LED,  
2700 K, Mains (Phase)  
dimmable\*  
EPREL ID 566201,522907

Standard finishes:

039 07 201	brushed nickel
039 07 202	brushed brass

**NEA**  
Wall / Ceiling  
30  
Mirror



Type  
Material  
Environment  
Dimensions  
Weight  
Certification  
Bathroom  
EU/UK  
Lamps

Ceiling/wall light  
Solid brass  
Indoors  
500 x 47 x 80 mm  
0.6 kg  
IP20 CE  
Zone 3  
230 V  
max. 60 W, S14d,  
our suggestion: 4.9 W,  
1x linear opal LED,  
2700 K, Mains (Phase)  
dimmable\*  
EPREL ID 566201,522907


Standard finishes:

039 08 201	brushed nickel
039 08 202	brushed brass

MAINLY SUITABLE FOR INSTALLATION ONTO PLASTER WALLS AND JOINERY. FOR FURTHER INFORMATION PLEASE SEE NEA PLATE MOUNTING INSTRUCTIONS AND CONTACT [SALES@KAIALIGHTING.COM](mailto:SALES@KAIALIGHTING.COM).

**NEA**

Wall / Ceiling  
Plate 50



Type  
Material  
Environment  
Dimensions  
Weight  
Certification  
Bathroom  
EU/UK  
Lamps


Wall/ceiling light  
Solid brass  
Indoors  
500 x 75 x 82mm  
0.4 kg  
IP20 CE  
Zone 3  
230 V  
max. 60 W, S14d,  
our suggestion: 4.9 W,  
1x linear opal LED,  
2700 K, Mains (Phase)  
dimmable\*  
EPREL ID 566201,522907

Standard finishes:  
039 03 101  
039 03 202  
039 03 209

polished nickel  
brushed brass  
blackened brass

**NEA**

Wall / Ceiling  
Plate 30



Type  
Material  
Environment  
Dimensions  
Weight  
Certification  
Bathroom  
EU/UK  
Lamps

Wall/ceiling light  
Solid brass  
Indoors  
300 x 75 x 82mm  
0.4 kg  
IP20 CE  
Zone 3  
230 V  
max. 60 W, S14d,  
our suggestion: 3,1 W,  
1x linear opal LED,  
2700 K, Mains (Phase)  
dimmable\*  
EPREL ID 566201, 52290

Standard finishes:  
039 04 101  
039 04 202  
039 04 209

polished nickel  
brushed brass  
blackened brass